

- Aguilar-Perera, A. 1994. Preliminary observations of the spawning aggregation of Nassau grouper, *Epinephelus striatus*, at Majahual, Quintana Roo, Mexico. Proceedings of the Gulf and Caribbean Fisheries Institute 43:112-122.
- Aguilar-Perera, A. 2004. Detection of fishing effects on a Nassau grouper spawning aggregation from southern Quintana Roo, Mexico. Proceedings of the Gulf and Caribbean Fisheries Institute 55:544-556.
- Aguilar-Perera, A. 2006. Disappearance of a Nassau grouper spawning aggregation off the southern Mexican Caribbean coast. Marine Ecology Progress Series 327:289-296.
- Aguilar-Perera A., and Aguilar-Davila W. 1996. A spawning aggregation of Nassau grouper *Epinephelus striatus* (Pisces: Serranidae) in the Mexican Caribbean. Environmental Biology of Fishes 45:351-361.
- Aguilar-Perera, A., C. González-Salas, and H. Villegas-Hernández. 2008. Fishing, management, and conservation of the Nassau grouper, *Epinephelus striatus*, in the Mexican Caribbean. Proceedings of the Gulf and Caribbean Fisheries Institute 61:313-319.
- Alvarez-Filip L., N.K. Dulvy, J.A. Gill, I.M. Cote, and A.R. Watkinson. 2009. Flattening of Caribbean coral reefs: region-wide declines in architectural complexity. Proceedings of the Royal Society B. 276:3019–3025.
- Appeldoorn, R. S., G.D. Dennis, and O. Monterrosa Lopez. 1987. Review of shared demersal resources of Puerto Rico and the Lesser Antilles region. Pages 36-106 in Report and proceedings of the expert consultation on shared fishery resources of the Lesser Antilles region. Mayaguez, Puerto Rico, 8-12 September 1986. FAO Fisheries Report 383, 278 pp.
- Bannerot S.P., W.W. Fox, Jr, and J.E. Powers. 1987. Reproductive strategies and the management of snappers and groupers in the Gulf of Mexico and Caribbean. Pages 561-603 in J.J. Polovina and S. Ralston (eds). Tropical snappers and groupers: biology and fisheries management. Westview Press, Boulder, CO.
- Bardach, J.E. 1958. On the movements of certain Bermuda reef fishes. Ecology 39(1):139-146.
- Bardach, J.E., C.L. Smith, and D.W. Menzel. 1958. Bermuda fisheries research program final report. Bermuda Trade Development Board. Hamilton 59 p.
- Beets J., and A. Friedlander. 1999. Evaluation of a conservation strategy: a spawning aggregation closure for red hind, *Epinephelus guttatus*, in the U.S. Virgin Islands. Environmental Biology of Fishes 55:91-98.
- Beets, J., and M.A. Hixon. 1994. Distribution, persistence, and growth of groupers (Pisces: Serranidae) on artificial and natural patch reefs in the Virgin Islands. Bulletin of Marine Science 55:470- 483.

- Böhlke, J.E., and C.G. Chaplin. 1968. Fishes of the Bahamas and Adjacent Tropical Waters. Livingston Publishing Company, Wynnewood, PA, 771 p.
- Bohnsack, J.A. 1989. Protection of grouper spawning aggregations. Coastal Resources Division Control Number 88-89-06, 8 p.
- Bohnsack, J.A., D.L. Sutherland, A. Brown, D.E. Harper, and D.B. McClellan. 1986. An analysis of the Caribbean biostatistical database for 1985. *Coast. Res. Dev. Rep.* CFMC Control Number CRD-86/87-10, 35 p.
- Bolden, S.K. 2000. Long-distance movement of a Nassau grouper (*Epinephelus striatus*) to spawning aggregation in the central Bahamas. *Fishery Bulletin* 98(3):642-645.
- Bolden, S.K. 2001. Using Ultrasonic Telemetry to Determine Home Range of a Coral-Reef Fish. in J.R. Sibert and J.L. Nielsen (eds.). Electronic tagging and tracking in marine fisheries. Springer Netherlands.
- Boomhower, J., M. Romero, J. Posada, S. Kobara, and W. Heyman. 2010. Prediction and verification of possible reef-fish spawning aggregation sites in Los Roques Archipelago National Park, Venezuela. *Journal of Fish Biology* 77:822-840.
- Box, S., and Bonilla Mejia. 2008. El estado de la conservación y explotación del Mero Nassau en la Costa Atlántica de Honduras June 2008. TNC Report, 51 p.
- Brown, V. 2007. The policymaking process and the politics of managing the Nassau grouper and other marine resources. *Proceedings of the Gulf and Caribbean Fisheries Institute* 60:605-606.
- Burnett-Herkes, J. 1975. Contribution to the biology of the red hind, *Epinephelus guttatus*, a commercially important serranid fish from the tropical western Atlantic. PhD dissertation, U. Miami, Coral Gables, 154 p.
- Bush, P.G., D.E. Lane, G.C. Ebanks-Petrie, K. Luke, B. Johnson, C. McCoy, J. Bothwell, and, E. Parsons. 2006. The Nassau grouper spawning aggregation fishery of the Cayman Islands – an historical and management perspective. *Proceedings of the Gulf and Caribbean Fisheries Institute* 57:515-524.
- Bush, P.G., Ebanks, G.C. and Lane, E.D. 1996. Validation of the ageing technique for the Nassau grouper (*Epinephelus striatus*) in the Cayman Islands, p. 150-158, in: F. Arreguin-Sánchez, J.L. Munro, M.C. Balgos, and D. Pauly (eds.) *Biology, fisheries and culture of tropical groupers and snappers*. ICLARM No. 48, 449 p.
- Carter, J. 1989. Grouper sex in Belize. *Natural History* Oct: 60-69.
- Carter, J. 1986. Moonlight mating of the multitudes. *Animal Kingdom Magazine* 89(6):63-71.

- Carter, J., G.J. Marrow, and V. Pryor. 1994. Aspects of the ecology and reproduction of Nassau grouper, *Epinephelus striatus*, off the coast of Belize, Central America. Proceedings of the Gulf and Caribbean Fisheries Institute 43:65–111.
- Cervigón, F. 1966. Los Peces Marinas de Venezuela. Vols. I and II. Fund. La Salle. Ciencia Naturales.
- CFMC (Caribbean Fishery Management Council). 1985. Fishery Management Plan, Final Environmental Impact Statement, and Draft Regulatory Impact Review, for the Shallow-water Reef Fish Fishery of Puerto Rico and the U.S. Virgin Islands, 104 pp.
- Cheung, W.W.L., Y. Sadovy, M.T. Braynen, and L.G. Gittens. 2013. Are the last remaining Nassau grouper (*Epinephelus striatus*) fisheries sustainable? The case in the Bahamas. Endangered Species Research 20:27-39.
- Claro, R., García-Cagide, A., Sierra, L.M., García-Arteaga, J.P. 1990. Características biológico-pesqueras de la cherna criolla *Epinephelus striatus* (Bloch) (Pisces: Serranidae) en la plataforma cubana. Ciêncie Biológicas 23:23–42.
- Claro, R., Y. Sadovy de Mitcheson, K.C. Lindeman, and A.R. García-Cagide. 2009. Historical analysis of Cuban commercial fishing effort and the effects of management interventions on important reef fishes from 1960-2005. Fisheries Research 99:7-16.
- Coleman, F.C., and C.C. Koenig. 2010. The effects of fishing, climate change, and other anthropogenic disturbances on red grouper and other reef fishes in the Gulf of Mexico. Integrative and Comparative Biology 50(2):201-212.
- Colin P.L. 1992. Reproduction of the Nassau grouper, *Epinephelus striatus* (Pisces: Serranidae) and its relationship to environmental conditions. Environmental Biology of Fishes 34:357-377.
- Colin, P.L., W.A. Laroche, and E.B. Brothers. 1997. Ingress and settlement in the Nassau grouper, *Epinephelus striatus* (Pisces: Serranidae), with relationship to spawning occurrence. Bulletin of Marine Science 60(3):656-667.
- Colin, P.L., D.Y. Shapiro, and D. Weiler. 1987. Preliminary investigations of reproduction of two species of groupers. *Epinephelus guttatus* and *E. striatus* in the West Indies. Bulletin of Marine Science 40:220-230.
- Craig, A.K. 1966. Geography of fishing in British Honduras and adjacent coastal areas. Technical Report 28, Coastal Studies Institute Louisiana State University, Louisiana. Cont. No. 66-2. 143 p. Available: ambergriscaye.com/pages/mayan/geographyoffishing.html (April 2013).

Craig, M.T., Y.J. Sadovy de Mitcheson, and P.C. Heemstra. 2011. Groupers of the world: a field and market guide. Grahamstown: NISC (Pty) Ltd. 424 p.

Dahlgren C.P. 1998. Population dynamics of early juvenile Nassau grouper: an integrated modeling and field study. Ph.D dissertation. North Carolina State University. Raleigh, NC USA. 145 p.

DPNR (Division of Planning and Natural Resources, US Virgin Islands). 2005. Commercial & Recreational Fisher's Information Booklet. Department of Planning and Natural Resources, Division of Fish & Wildlife and Division of Environmental Enforcement. July 2005.

Eggleston D.B. 1995. Recruitment in Nassau grouper *Epinephelus striatus*: post-settlement abundance, microhabitat features and ontogenetic habitat shifts. Marine Ecology Progress Series 124:9-22.

Eggleston, D.B., J.J. Grover, and R.N. Lipcius. 1998. Ontogenetic diet shifts in Nassau grouper: trophic linkages and predatory impact. Bulletin of Marine Science 63(1):111-126.

Evermann, B.W. 1900. Fishes and Fisheries of Porto Rico. U.S. Commission on Fish and Fisheries, 350 p.

Fine, J.C. 1990. Groupers in love: spawning aggregations of Nassau groupers in Honduras. Sea Frontiers, p. 42-45.

Foley, K.A., C. Caldow, E. Hickerson. 2007. Gulf of Mexico Science. First confirmed record of Nassau grouper *Epinephelus striatus* (Pisces: Serranidae) in the Flower Garden Banks National Marine Sanctuary, p. 162-165.

Froese, R. and D. Pauly. 2010. FishBase.

Garcia-Moliner, G., and Y. Sadovy. 2008. The case for regional management of the Nassau grouper, *Epinephelus striatus*. Proceedings of the Gulf and Caribbean Fisheries Institute 60:596-602.

Gibson, J. 2008. Managing a Nassau grouper fishery – a case study from Belize. Proceedings of the Gulf and Caribbean Fisheries Institute 60:603-604.

Greenwood, C.B. 1991. Distribution and feeding habits of larval Epinepheline groupers in Exuma Sound, Bahamas. Thesis, Florida Institute of Technology. Melbourne, FL, USA. 71 p.

Grover, J.J., D.B. Eggleston, and J.M. Shenker. 1998. Transition from pelagic to demersal phase in early-juvenile Nassau grouper, *Epinephelus striatus*: pigmentation, squamation, and ontogeny of diet. Bulletin of Marine Science 62(1):97-113.

- Guitart-Manday, D., and F. Juárez-Fernandez. 1966. Desarrollo embrionario y primeros estudios larvales de la cherna criolla, *Epinephelus striatus* (Bloch) (Perciformes: Serranidae). Academia Ciencias de Cuba, Instituto de Oceanologica. La Habana 1:35-45.
- Gunter, G., and L. Knapp. 1951. Fishes, new, rare or seldom recorded from the Texas coast. Texas Journal of Science 3(1):134-138.
- Harvell, C.D., C.E. Mitchell, J.R. Ward, S. Altizer, A.P. Dobson, R.S. Ostfeld, and M.D. Samuel. 2002. Climate warming and disease risks for terrestrial and marine biota. Science 296: 2158–2162.
- Hateley, J.G. 2005. Preliminary results of a protein electrophoretic analysis of genetic variation, population structure and gene flow in the Nassau grouper, *Epinephelus striatus*. Proceedings of the Gulf and Caribbean Fisheries Institute 47:888-905.
- Heemstra, P.C., and J.E. Randall. 1993. FAO species catalogue. Groupers of the world (Family Serranidae, Subfamily Epinephelinae). An annotated and illustrated catalogue of the grouper, rockcod, hind, coral grouper and lyretail species known to date. FAO Fisheries Synopsis. No. 125, Vol. 16. Rome, FAO.
- Heppell, S., B.X. Semmens, C.V. Pattengill-Semmens, P.G. Bush, B.C. Johnson, C.M. McCoy, J.Gibb, and S.S. Heppell. 2011. Oceanographic patterns associated with Nassau grouper aggregation spawn timing shifts in surface currents on the nights of peak spawning. Proceedings of the Gulf and Caribbean Fisheries Institute 63:152-154.
- Heyman W. and N. Requena. 2002. Status of multi-species spawning aggregations in Belize. The Nature Conservancy, Punta Gorda (report)
- Hodgson, G. and J. Liebeler. 2002. The Global coral reef crisis: trends and solutions. Los Angeles, Reef Check Foundation.
- Hoese, H. D., and R. H. Moore. 1998. Fishes of the Gulf of Mexico: Texas, Louisiana, and adjacent waters. Texas A&M University Press, College Station, TX. 422 p.
- Hildebrand, H.H., H. Chavez, and H. Compton. 1964. Aporte al conocimiento de los peces del arrecife Alacranes, Yucatan (Mexico). Ciencia (Mex.) 23(3):107-134.
- Hill, Ronald L., and Sadovy de Mitcheson, Yvonne. 2013. Nassau Grouper, *Epinephelus striatus* (Bloch 1792), Status Review Document. Report to National Marine Fisheries Service, Southeast Regional Office. June 12, 2013. 117 p.
- Hinegardner, R., and D.E. Rosen. 1972. Cellular DNA content and the evolution of teleostean fishes. American Naturalist 106:621-644

- Humann, P. and N. DeLoach. 2002. Reef fish identification: Florida Caribbean Bahamas. New World Publications, Jacksonville, Florida. 548 p.
- Jackson, A.M., B.X. Semmens, Y. Sadovy de Mitcheson, R.S. Nemeth, S.A. Heppell, P.G. Bush, A. Aguilar-Perera, J.A.B. Clayton, M.C. Calosso, K.S. Sealey, M.T. Schärer, and G. Bernardi. 2014. Population structure and phylogeography in Nassau grouper (*Epinephelus striatus*), a mass-aggregating marine fish. PLoS ONE 9(5): e97508.doi:10.1371/journal.pone.0097508.
- Kadison, E., R.S. Nemeth, J. Blondeau, T. Smith, and J. Calnan. 2010. Nassau grouper (*Epinephelus striatus*) in St. Thomas, US Virgin Islands, with evidence for a spawning aggregation site recovery. Proceedings of the Gulf and Caribbean Fisheries Institute 62:273-279.
- Kellison, T., S. Heppell, B. Semmens, N. Ehrhardt, I. Zink. 2009. Review of Databases Available and Trends in Abundance Relating to Nassau Grouper *Epinephelus striatus* in United States and U.S. Territorial Waters Including Recommendations for a Formal Status Review. Workgroup Report. 14 p.
- Kobara, S. and Heyman, W.D. 2010. Sea bottom geomorphology of multi-species spawning aggregation sites in Belize. Marine Ecology Progress Series 405:243-254.
- La Gorce, J. Oliver (eds.). 1939. The Book of fishes. National Geographic Society, Washington, D.C., 367 p.
- Longley, W.H. 1917. Studies upon the biological significance of animal coloration. I. The colors and color changes of West Indian reef fishes. Journal of Experimental Zoology 23(3):533-601.
- Luckhurst, B.E. 1996. Trends in commercial fishery landings of groupers and snappers in Bermuda from 1975 to 1992 and associated fishery management issues. Pages 286-297 in F. Arreguin-Sanchez, J.L. Munro, M.C. Balgos, and D. Pauly (eds.). Biology, fisheries and culture of tropical groupers and snappers, ICLARM No. 48, 449 p.
- Marcogliese, DJ. 2001. Implications of climate change for parasitism of animals in the aquatic environment. Canadian Journal of Zoology 79(8):1331-1352.
- Munday, P.L., G.P. Jones, M.S. Pratchett, and A.J. Williams. 2008. Climate change and the future for coral reef fishes. Fish and Fisheries 9(3):261-285.
- Munro, J.L., and L. Blok. 2005. The status of stocks of groupers and hinds in the northeastern Caribbean. Proceedings of the Gulf and Caribbean Fisheries Institute 56: 283-294.

- Nemeth, R.S. 2012. Chapter 2. Ecosystem aspects of species that aggregate to spawn. Pages 21-55 in Y. Sadovy de Mitcheson and P.L. Colin (eds.). Reef fish spawning aggregations: biology, research, and management, fish & fisheries series 35. Springer Science, 644 p.
- Nemeth, R.S. 2005. Population characteristics of a recovering US Virgin Islands red hind spawning aggregation following protection. *Marine Ecology Progress Series* 286:81-97.
- Nemeth, R.S., E. Kadison, and J. Blondeau. 2009. Defining marine protected areas for yellowfin and Nassau grouper spawning aggregation sites. *Proceedings of the Gulf and Caribbean Fisheries Institute* 61:329-330.
- Nemeth, R.S., E. Kadison, S. Herzlieb, J. Blondeau, and E.A. Whiteman. 2006. Status of a yellowfin (*Mycteroperca venenosa*) grouper spawning aggregation in the US Virgin Islands with notes on other species. *Proceedings of the Gulf and Caribbean Fisheries Institute* 57:543-558.
- O'Connor, A. 2002. New help for Nassau grouper, a sitting duck facing extinction. *The New York Times*, 3 December 2002.
- Olsen, D.A. and J.A. LaPlace. 1979. A study of the Virgin Island grouper fishery based on breeding aggregations. *Proceedings of the Gulf and Caribbean Fisheries Institute* 31:130-144.
- Paz, G., and E. Truly. 2007. The Nassau grouper spawning aggregation at Caye Glory, Belize: a brief history. A case study by The Nature Conservancy, Mesoamerican Reef Program. 64 p.
- Polovina, J.J. and S. Ralston (eds). 1987. Tropical Snappers and Groupers: Biology and Fisheries Management. Pages 561-603. Westview Press, Boulder, CO.
- Prada, M.C., G. Peñaloza, S. Posada, N. Howard, P. Herrón, L. Salinas, E. Castro, and F. Cabezas. 2004. Fish spawning aggregations in the San Andres Archipelago, a first approximation. Final Report, 57 p.
- Primack, R.B. 1993. Essentials of Conservation Biology. Sinauer Associates, Inc.
- Radakov, D. V., A.D. Motchek, Y.N. Sbikin, R. Claro Madruga, and A. Silva Lee. 1975. Acerca de la longitud de los peces comerciales en capturas de la zona noroccidental de Cuba. Serie Oceanologica. No. 28. Academia de Ciencias de Cuba. Instituto de Oceanologia. Habana. Cuba, 9 p.
- Randall, J.E. 1983. Caribbean Reef Fishes. Second edition. T.F.H. Publications, Neptune City. NJ. 350 p.
- Randall, J.E. 1967. Food habits of reef fishes of the West Indies. *Studies in Tropical Oceanography*, Miami 5:665-847.

- Randall, J.E. 1965. Food habits of the Nassau grouper (*Epinephelus striatus*). Association of Island Marine Laboratories of the Caribbean, 6th Meeting. Jan. 1965:13-16.
- Randall, J.E., and V.E. Brock. 1960. Observations on the ecology of epinepheline and lutjanid fishes of the Society Islands with emphasis on food habits. Transactions of the American Fisheries Society 89(1):9-16.
- Roberts, C.M., N. Quinn, J.W. Tucker Jr., and P.N. Woodward. 1995. Introduction of hatchery-reared Nassau grouper to a coral reef environment. North American Journal of Fisheries Management 15(1):159-164.
- Rogers, C.S., and J. Beets. 2001. Degradation of marine ecosystems and decline of fishery resources in marine protected areas in the US Virgin Islands. Environmental Conservation 28(4):312-322.
- Rudd, M.A. 2001. The effect of seafood import tariffs on market demand for Nassau grouper in the Turks and Caicos Islands. Proceedings of the Gulf and Caribbean Fisheries Institute 55:178-190.
- Sadovy, Y. 1997. The case of the disappearing grouper: *Epinephelus striatus*, the Nassau grouper in the Caribbean and western Atlantic. Proceedings of the Gulf and Caribbean Fisheries Institute 45:5-22
- Sadovy de Mitcheson, Y. 2012. Status Update: The Nassau Grouper, *Epinephelus striatus*. Final Report to the Caribbean Fishery Management Council. 70 p.
- Sadovy Y, and P.L. Colin. 1995. Sexual development and sexuality in the Nassau grouper, *Epinephelus striatus* (Bloch) (Pisces: Serranidae). Journal of Fish Biology 46:961–976
- Sadovy, Y. and Eklund, A.-M. 1999. Synopsis of biological information on the Nassau Grouper, *Epinephelus striatus* (Bloch, 1792), and the Jewfish, *E. itajara* (Lichtenstein, 1822). NOAA Technical Report NMFS 146. Technical Report of the Fishery Bulletin. FAO Fisheries Synopsis 157. US Department of Commerce, Seattle, WA USA, 65 p.
- Sadovy de Mitcheson, Y. and B. Erismann. 2012. Chapter 8. Fishery and biological implications of fishing spawning aggregations, and the social and economic importance of aggregating fishes. Pages 225-284 in Y. Sadovy de Mitcheson and P.L. Colin (eds.), Reef fish spawning aggregations: biology, research and management, fish & fisheries series 35. Springer Science, 644 p.
- Sadovy de Mitcheson, Y., A. Cornish, M. Domeier, P. Colin, M. Russell, and K. Lindeman. 2008. A Global Baseline for Spawning Aggregations of Reef Fishes. Conservation Biology 22(5):1233-1244.

- Sala, E., E. Ballesteros, and R.M. Starr. 2001. Rapid decline of Nassau grouper spawning aggregations in Belize: fishery management and conservation needs. *Fisheries* 26(10):23-30.
- Schärer, M.T., T.J. Rowell, M.I. Nemeth, and R.S. Appeldoorn. 2012. Sound production associated with reproductive behavior of Nassau grouper *Epinephelus striatus* at spawning aggregations. *Endangered Species Research* 19:29-38.
- Sedberry, G.R., D.E. Stevenson, and R.W. Chapman. 1996. Stock identification in potentially threatened species of grouper (Teleostei: Serranidae: Epinephelinae) in Atlantic and Caribbean Waters. Final Report. MARFIN Grant No. NA47FF0012. South Carolina Department of Natural Resources, Marine Resources Research Institute, 51 p.
- Semmens, B.X., K.E. Luke, P.G. Bush, C. Pattengill-Semmens, B. Johnson, C. McCoy, and S. Heppell. 2007. Investigating the reproductive migration and spatial ecology of Nassau grouper (*Epinephelus striatus*) on Little Cayman Island using acoustic tags—an overview. *Proceedings of the Gulf and Caribbean Fisheries Institute* 58:191-198.
- Semmens, B.X., P. Bush, S. Heppell, C. Pattengill-Semmens, C. McCoy, and B. Johnson. 2012. An *in situ* visual mark-recapture method to assess the abundance of spawners at an aggregation site. *Proceedings of the Gulf and Caribbean Fisheries Institute* 64:224-226.
- Shapiro, D.Y. 1987. Reproduction in groupers. Pages 295-327 in J.J. Polovina and S. Ralston (eds.), *Tropical Snappers and Groupers: Biology and Fisheries Management*. Westview Press. Boulder, CO.
- Silva Lee, A.F. 1977. Nota sobre la coloración y la conducta de la cherna criolla (*Epinephelus striatus* Bloch). Academia de Ciencias de Cuba, Institute de Oceanologia, Informe Cientifico Tecnico No. 14. Cuba, 8 p.
- Silva Lee, A.F. 1974. Hábitos alimentarios de la cherna criolla *Epinephelus striatus* Bloch y algunos datos sobre su biología. Serie Oceanologica Academia de Ciencias de Cuba 25:3-14.
- Sluka, R., M. Chiappone, K.M. Sullivan, and R. Wright. 1997. The benefits of a marine fishery reserve for Nassau grouper *Epinephelus striatus* in the central Bahamas. *Proceedings of the 8th International Coral Reef Symposium* 2:1961-1964.
- Smith, C.L. 1971. A revision of the American groupers: *Epinephelus* and allied genera. *Bulletin of the American Museum of Natural History* 146:69-241.
- Smith, C. L. 1972. A spawning aggregation of Nassau grouper, *Epinephelus striatus* (Bloch). *Transactions of the American Fisheries Society* 101:257-261
- Smith, C. L. 1978. Serranidae in W. Fischer (ed.). FAO Species Identification Sheets for Fishery Purposes, Western Central Atlantic, Fishing Area 31. Vols. IV, V. FAO, Rome. [Unpaginated]

- Starr, R.M., E. Sala, E. Ballesteros, and M. Zabala. 2007. Spatial dynamics of the Nassau grouper *Epinephelus striatus* in a Caribbean atoll. *Marine Ecology Progress Series* 343:239-249.
- Thompson, R.W. 1978. Results of the UNDP /FAO Bahamas deep water fishery survey 1972-1975. *Proceedings of the Gulf and Caribbean Fisheries Institute* 30:44-70.
- Thompson, R., and J.L. Munro. 1978. Aspects of the biology and ecology of Caribbean reef fishes: Serranidae (hinds and groupers). *Journal of Fish Biology* 12:115-146.
- Tucker, J.W., Jr. and P.N. Woodward. 1994. Growth and development of domestic juvenile Nassau groupers. *Proceedings of the Gulf and Caribbean Fisheries Institute* 43:389-391.
- Tucker, J.W., Jr. and P.N. Woodward. 1996. Nassau grouper aquaculture. Pages 363-377 in F. Arreguin-Sanchez, J.L. Munro, M.C. Balgos, and D. Pauly (eds.). *Biology, fisheries and culture of tropical groupers and snappers. ICLARM No. 48*, 449 p.
- Tucker, J.W., P.G. Bush, and S.T. Slaybaugh. 1993. Reproductive patterns of Cayman Islands Nassau grouper (*Epinephelus striatus*) populations. *Bulletin of Marine Science* 52(3):961-969.
- Watanabe, W.O., C.S. Lee, S.C. Ellis, and E.P. Ellis. 1995a. Hatchery study of the effects of temperature on eggs and yolksac larvae of the Nassau grouper *Epinephelus striatus*. *Aquaculture*, 136:141- 147.
- Watanabe, W.O., S.C. Ellis, E.P. Ellis, W.D. Head, C.D. Kelley, A. Moriwake, C-S Lee, and P.K. Bienfang. 1995b. Progress in controlled breeding of Nassau grouper (*Epinephelus striatus*) broodstock by hormone induction. *Aquaculture* 138:205-219.
- Whaylen, L., C.V. Pattengill-Semmens, B.X. Semmens, P.G. Bush, and M.R. Boardman. 2004. Observations of a Nassau grouper, *Epinephelus striatus*, spawning aggregation site in Little Cayman, Cayman Islands, including multi-species spawning information. *Environmental Biology of Fishes* 70:305-313.
- Whaylen, L., P. Bush, B. Johnson, K. Luke, C. McCroy, S. Heppell, B. Semmens, M.R. Boardman. 2007. Aggregation dynamics and lessons learned from five years of monitoring at a Nassau grouper (*Epinephelus striatus*) spawning aggregation in Little Cayman, Cayman Islands, BWI. *Proceedings of the Gulf and Caribbean Fisheries Institute* 59:413-421.